

A photograph of a computer setup on a wooden desk. In the foreground, a silver and blue computer mouse is prominent, with a red light on its left button. Behind it is a white keyboard. To the right, a black speaker with a green light is visible. A semi-transparent grey rectangular box is overlaid on the top half of the image, containing the text 'CSS backgrounds, font' in a dark blue serif font.

CSS backgrounds, font

A photograph of a computer setup on a wooden desk. In the foreground, a silver and blue computer mouse is prominent, with a red light on its left button. Behind it is a white keyboard. To the right, a black speaker with a green light is visible. A semi-transparent grey rectangular box is overlaid on the bottom half of the image, containing the text 'Web Design by Mark Gillan' in a dark blue serif font.

Web Design by Mark Gillan

CSS backgrounds

- The background-color property specifies the background colour of an element
- Example:

```
body {  
    background-color: green;  
}
```
- Colours can be specified by:
 - valid colour name such as green or blue
 - HEX value such as #00ff00
 - RGB value such as rgb(0,255,0)
- Elements can have different colours as we will see



CSS Fonts

- The font family of text is set with the font-family property
- The font-family property should hold several font names as a reserve for instances of browser support issues
- Start with the font you really want, end with a generic family
- More than one font family can be specified and separated by comma-separated list:
- Example

```
p {  
    font-family: "Times New Roman", Times, serif;  
}
```

- Give it a try

